




# NTA PRECISION AXLE CORP.

## INA PASEY15 bearing units



PASEY15 Bearing 2D drawings and 3D CAD models

Bearing No. PASEY15

Bore Diameter	15 mm
d	15 mm
S1	16 mm
Thread (Q)	M6
A	30 mm
A1	18 mm
B	22 mm
H	30,2 mm
H1	10 mm
H2	57 mm
J	95 mm
L	125 mm
N	11 mm
N1	19 mm
Weight	0,43 Kg
Basic dynamic load rating (C)	9,8 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.55
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing



## NTA PRECISION AXLE CORP.

Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GAY15NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Spherical   Standard Shaft Height   With Grub Screw
Long Description	2 Bolt Pillow Block; 15MM Bore; 30.2MM Base to Center Height; Set Screw Mount; Ball Bearing; 81MM Minimum Bolt Spacing; 103MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Lip Contact; Non-e
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	PASEY15
Weight / LBS	1.213
Bore	0.591 Inch   15 Millimeter
Base to Center Height	1.189 Inch   30.2 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	3.6 Inch   92 Millimeter
Length Thru Bore	0.866 Inch   22 Millimeter
Bolt Spacing Minimum	3.189 Inch   81Millimeter
Bolt Spacing Maximum	4.055 Inch   103Millimeter



# NTA PRECISION AXLE CORP.